MT7000 SERIES
METALLURGICAL MICROSCOPES
INFINITY CORRECTED OPTICAL SYSTEM F=200MM
FOR INCIDENT (REFLECTED) LIGHT OBSERVATION

BRIGHTFIELD & SIMPLE POLARIZATION MODELS

MODEL	BODY	DIN OBJ.	DIN EYEP	STAGE	POWER SUPPLY	ILLUMINATOR	US$ PRICE
MT7000	Binocular (Siedentopf)	Plan Epi 5X Plan Epi 10X Plan Epi 20X Plan Epi 50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 6V 30W Halogen	5,800.00
MT7100	Trinocular (Siedentopf)	Plan Epi 5X Plan Epi 10X Plan Epi 20X Plan Epi 50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 6V 30W halogen	6,000.00

The Items marked with an asterisk (*) are included in the Model MT7000 & MT7100

COMPONENTS AND ACCESSORIES FOR MT7000 SERIES

CAT NO.	DESCRIPTION	US$ PRICE
	VIEWING HEAD	
MA815	Binocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT7000)	480.00
MA816	Trinocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT7100)	680.00
MA957	Ergonomic tilting binocular head - Adjustable vertically from 10 to 50 degrees.	780.00
MA979	Trinocular head - Siedentopf type, erect image with sliding 0/100 beamsplitter, inclined at 30 degrees, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube.	1,150.00
	PHOTO/VIDEO ATTACHMENT	
MA958	Photo / video attachment with sliding 80/20 beam-splitter. For use with video or digital cameras when MA957 ergonomic head is used.	500.00
	EYEPIECES (30.0 mm O.D. Eyetube)	
MA817	* SWH10X Widefield high eyepoint eyepiece, Field No. 22, tube O.D. 30.0 mm (each) (MA817 accepts optional 25mm diameter reticle)	150.00
MA818	SWH 15X Widefield high eyepoint eyepiece, Field No. 16.0, tube O.D. 30.0 mm (each) (MA818 accepts optional 19mm diameter reticle)	150.00
MA819	SWH 20X Widefield high eyepoint eyepiece, Field No. 12.0, tube O.D. 30.0 mm (each) (MA819 accepts optional 19mm diameter reticle)	150.00
MA859	SWH 10X-F Focusing eyepiece with reticle mount (without reticle), tube O.D. 30.0 mm (each) (MA859 accepts optional 25mm diameter reticle)	270.00

info@ysctech.com www.ysctech.com Tel 510.226.0889

COMPONENTS & ACCESSORIES FOR MT7000 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	BRIGHTFIELD PLAN EPI OBJECTIVES	
MA870	* Plan Epi Objective 5X, N.A. 0.10, W.D. 20.0 mm, F.N. 24	350.00
MA871	* Plan Epi Objective 10X, N.A. 0.25, W.D. 7.48 mm , F.N. 24	450.00
MA872	* Plan Epi Objective 20X, N.A. 0.40, W.D. 5.20 mm , F.N. 24	550.00
MA873	* Plan Epi Objective 50X, N.A. 0.75, W.D. 0.38 mm, F.N. 24	650.00
MA874	Plan Epi Objective 100X, N.A. 0.90, W.D. 0.37mm, F.N. 24	1,150.00
	BRIGHTFIELD LWD PLAN EPI OBJECTIVES (Long working distance)	
MA920	LWD Plan Epi Objective 20X, N.A. 0.40, W.D. 11.0 mm , F.N. 24	850.00
MA921	LWD Plan Epi Objective 50X, N.A. 0.55, W.D. 7.5 mm, F.N. 24	1,050.00
	ILLUMINATOR	
MA927	* Vertical Koehler illuminator, 6V 30W Halogen lamp, with clear blue, clear green, ND 25 neutral density filter, and polarizing filters in metal mounts. 100V~240V. (Powered by transformer built into MT7000 stand)	900.00
	FILTERS	
MA475/05	* Blue clear filter, 19.5mm diameter filter in metal mount , fits 25mm filter slot	80.00
MA476	* Green clear filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA774	* N.D. 50 neutral density filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA497	* Polarizing filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
	STAGE	
MA941	* Ceramic coated flat-top stage, 191mm X 126mm, 100mm X 100mm X-Y movement, with right hand drop-down coaxial controls. (Included in Model MT7000 and MT7100)	570.00
	EYEPIECE MICROMETERS (25mm diameter for use with MA817 or MA859 eyepieces)	
MA523	Eyepiece micrometer, cross-line reticle, 25mm diameter	60.00
MA506	Eyepiece micrometer, 10mm line divided into 100 units, 25mm diameter	60.00
MA509	Eyepiece micrometer, 5mm line divided into 100 units, 25mm diameter	60.00
MA510	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 25mm diameter	60.00
MA542	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 25mm diameter	60.00
MA738	Eyepiece micrometer, for grain sizing in steel	100.00
	EYEPIECE MICROMETERS (19mm diameter for use with MA818 or MA819 eyepieces)	
MA279	Eyepiece micrometer, cross-line reticle, 19mm diameter	60.00
MA280	Eyepiece micrometer, 10mm line divided into 100 units, 19mm diameter	60.00
MA281	Eyepiece micrometer, 5mm line divided into 100 units, 19mm diameter	60.00
MA283	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 19mm diameter	60.00
MA539	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 19mm diameter	60.00
	STAGE MICROMETERS	
MA292	Metal stage micrometer, 1mm divided into 100 units, 0.01mm	200.00

COMPONENTS & ACCESSORIES FOR MT7000 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	BULBS AND FUSES	
MA326	Spare bulb 6V 30W halogen lamp	20.00
MA327	Spare Fuse 3A for halogen Illuminator	5.00
	POWER CORDS	
MA809/10	Removable AC Electric cord with plug for 115V Models (* Included in all 115V models)	20.00
MA809/20	Removable AC Electric cord with plug for 220V Models (* Included in all 220V models)	20.00
	MISCELLANEOUS	
MA906	* Eyeshield for MA817 SWH10X eyepiece (each)	7.00
MA711	* Dust cover for MT7000 and MT7100	20.00

MT7500 SERIES
BRIGHTFIELD/DARKFIELD
METALLURGICAL MICROSCOPES

INFINITY CORRECTED OPTICAL SYSTEM F=200MM

FOR INCIDENT (REFLECTED) LIGHT BF/DF OBSERVATION

BRIGHTFIELD / DARKFIELD & SIMPLE POLARIZATION

MODEL	BODY	DIN OBJ.	DIN EYEP	STAGE	POWER SUPPLY	ILLUMINATOR	US$ PRICE
MT7520	Binocular (Siedentopf)	Plan Epi BD5X Plan Epi BD10X Plan Epi BD20X Plan Epi BD50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 12V 50W Halogen BF/DF and POL	8,300.00
MT7530	Trinocular (Siedentopf)	Plan Epi BD5X Plan Epi BD10X Plan Epi BD20X Plan Epi BD50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 12V 50W Halogen BF/DF and POL	8,500.00

The Items marked with an asterisk (*) are included in the Model MT7520 & MT7530

COMPONENTS AND ACCESSORIES FOR MT7500 SERIES

CAT NO.		DESCRIPTION	US$ PRICE
		VIEWING HEAD	
MA815		Binocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT7520)	480.00
MA816		Trinocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT7530)	680.00
MA957		Ergonomic tilting binocular head - Adjustable vertically from 10 to 50 degrees.	780.00
MA979		Trinocular head - Siedentopf type, erect image with sliding 0/100 beamsplitter, inclined at 30 degrees, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube.	1,150.00
		PHOTO/VIDEO ATTACHMENT	
MA958		Photo / video attachment with sliding 80/20 beam-splitter. For use with video or digital cameras when MA957 ergonomic head is used.	500.00
		EYEPIECES (30.0 mm O.D. Eyetube)	
MA817	*	SWH10X Widefield high eyepoint eyepiece, Field No. 22, tube O.D. 30.0 mm (each) (MA817 accepts optional 25mm diameter reticle)	150.00
MA818		SWH15X Widefield high eyepoint eyepiece, Field No. 16.0, tube O.D. 30.0 mm (each) (MA818 accepts optional 19mm diameter reticle)	150.00
MA819		SWH20X Widefield high eyepoint eyepiece, Field No. 12.0, tube O.D. 30.0 mm (each) (MA819 accepts optional 19mm diameter reticle)	150.00
MA859		SWH10X-F Focusing eyepiece with reticle mount (without reticle), tube O.D. 30.0 mm (each) (MA859 accepts optional 25mm diameter reticle)	270.00
MA906	*	Eyeshield for MA817 SWH 10X eyepiece (each)	7.00

COMPONENTS & ACCESSORIES FOR MT7500 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	BRIGHTFIELD/DARKFIELD PLAN EPI OBJECTIVES	
MA923	* Plan Epi Objective BD5X, N.A. 0.10, W.D. 17.0 mm, F.N. 22	600.00
MA924	* Plan Epi Objective BD10X, N.A. 0.25, W.D. 7.48 mm , F.N. 22	700.00
MA925	* Plan Epi Objective BD20X, N.A. 0.40, W.D. 5.20 mm , F.N. 22	800.00
MA926	* Plan Epi Objective BD50X, N.A. 0.75, W.D. 0.38 mm, F.N. 22	1,000.00
MA989	Plan Epi Objective BD100X, N.A. 0.90. W.D. 0.37 mm, F.N. 22 **(Optional)**	1,400.00
MA686/05	Adapter to mount RMS thread objective to BF/DF nosepiece	60.00
	ILLUMINATOR	
MA928	* Vertical Koehler illuminator, 12V 50W Halogen lamp, with clear blue, clear green, ND 50, neutral density filter, and polarizing filters in metal mounts. 100V~240V. Powered by automatic voltage sensing transformer built into MT7500 Series stand.	1,400.00
	FILTERS	
MA275/25	* Blue clear filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
MA275/30	* Green clear filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
MA275/50	* N.D.50 neutral density filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
MA959	* Polarizing filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
	STAGE	
MA941	* Ceramic coated flat-top stage, 191mm X 126mm, 100mm X 100mm X-Y movement, with right hand drop-down coaxial controls. (Included in Model MT7520 and MT7530)	570.00
	EYEPIECE MICROMETERS (25mm diameter for use with MA817 or MA859 eyepieces)	
MA523	Eyepiece micrometer, cross-line reticle, 25mm diameter	60.00
MA506	Eyepiece micrometer, 10mm line divided into 100 units, 25mm diameter	60.00
MA509	Eyepiece micrometer, 5mm line divided into 100 units, 25mm diameter	60.00
MA510	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 25mm diameter	60.00
MA542	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 25mm diameter	60.00
MA738	Eyepiece micrometer, for grain sizing in steel, 25mm diameter	100.00
	EYEPIECE MICROMETERS (19mm diameter for use with MA818 or MA819 eyepieces)	
MA279	Eyepiece micrometer, cross-line reticle, 19mm diameter	60.00
MA280	Eyepiece micrometer, 10mm line divided into 100 units, 19mm diameter	60.00
MA281	Eyepiece micrometer, 5mm line divided into 100 units, 19mm diameter	60.00
MA283	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 19mm diameter	60.00
MA539	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 19mm diameter	60.00
	STAGE MICROMETERS	
MA292	Metal stage micrometer, 1mm divided into 100 units, 0.01mm	200.00
	BULBS AND FUSES	
MA275/05	Spare bulb 12V 50W halogen lamp	50.00
	POWER CORDS	
MA809/10	Removable AC Electric cord with plug for 115V Models (* Included in all 115V models)	20.00
MA809/20	Removable AC Electric cord with plug for 220V Models (* Included in all 220V models)	20.00
	MISCELLANEOUS	
MA686/05	Adapter to mount RMS thread objective to MT7500/ MT8500 nosepiece	60.00
MA709	* Dust cover for MT7520 and MT7530	20.00

MT8000 SERIES
METALLURGICAL MICROSCOPES
INFINITY CORRECTED OPTICAL SYSTEM F=200MM
FOR INCIDENT (REFLECTED) AND TRANSMITTED LIGHT BRIGHTFIELD OBSERVATION

BRIGHTFIELD & SIMPLE POLARIZATION MODELS

MODEL	BODY	DIN OBJ.	DIN EYEP	STAGE	POWER SUPPLY	ILLUMINATOR	US$ PRICE
MT8000	Binocular (Siedentopf)	Plan Epi 5X Plan Epi 10X Plan Epi 20X Plan Epi 50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 6V 30W Halogen, Transmitted Koehler 6V 30W, Halogen	6,700.00
MT8100	Trinocular (Siedentopf)	Plan Epi 5X Plan Epi 10X Plan Epi 20X Plan Epi 50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 6V 30W halogen Transmitted Koehler 6V 30W, Halogen	6,900.00

The Items marked with an asterisk (*) are included in the Model MT8000 & MT8100

COMPONENTS AND ACCESSORIES FOR MT8000 SERIES

CAT NO.		DESCRIPTION	US$ PRICE
		VIEWING HEAD	
MA815		Binocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT8000)	480.00
MA816		Trinocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT8100)	680.00
MA957		Ergonomic tilting binocular head - Adjustable vertically from 10 to 50 degrees.	780.00
MA979		Trinocular head - Siedentopf type, erect image with sliding 0/100 beamsplitter, inclined at 30 degrees, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube.	1,150.00
		PHOTO/VIDEO ATTACHMENT	
MA958		Photo / video attachment with sliding 80/20 beam-splitter. For use with video or digital cameras when MA957 ergonomic head is used.	500.00
		EYEPIECES (30.0 mm O.D. Eyetube)	
MA817	*	SWH10X Widefield high eyepoint eyepiece, Field No. 22, tube O.D. 30.0 mm (each) (MA817 accepts optional 25mm diameter reticle)	150.00
MA818		SWH15X Widefield high eyepoint eyepiece, Field No. 16.0, tube O.D. 30.0 mm (each) (MA818 accepts optional 19mm diameter reticle)	150.00
MA819		SWH20X Widefield high eyepoint eyepiece, Field No. 12.0, tube O.D. 30.0 mm (each) (MA819 accepts optional 19mm diameter reticle)	150.00
MA859		SWH10X-F Focusing eyepiece with reticle mount (without reticle), tube O.D. 30.0 mm (each) (MA859 accepts optional 25mm diameter reticle)	270.00

COMPONENTS & ACCESSORIES FOR MT8000 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	BRIGHTFIELD PLAN EPI OBJECTIVES	
MA870	* Plan Epi Objective 5X, N.A. 0.10, W.D. 20.0 mm, F.N. 24	350.00
MA871	* Plan Epi Objective 10X, N.A. 0.25, W.D. 7.48 mm , F.N. 24	450.00
MA872	* Plan Epi Objective 20X, N.A. 0.40, W.D. 5.20 mm , F.N. 24	550.00
MA873	* Plan Epi Objective 50X, N.A. 0.75, W.D. 0.38 mm, F.N. 24	650.00
MA874	Plan Epi Objective 100X, N.A. 0.90, W.D. 0.37mm, F.N. 24	1,150.00
	BRIGHTFIELD LWD PLAN EPI OBJECTIVES (Long working distance)	
MA920	LWD Plan Epi Objective 20X, N.A. 0.40, W.D. 11.0 mm , F.N. 24	850.00
MA921	LWD Plan Epi Objective 50X, N.A. 0.55, W.D. 7.5 mm, F.N. 24	1,050.00
	ILLUMINATOR	
MA927	* Vertical Koehler illuminator, 6V 30W Halogen lamp, with clear blue, clear green, ND 25, neutral density filter, and polarizing filters in metal mounts. 100V~240V. (Without transformer)	900.00
MA927/05	* Transformer for MA927 in separate case (Input 100V~240V, Output 6V 30W)	260.00
	FILTERS	
MA475/05	* Blue clear filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA476	* Green clear filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA774	* N.D. 50 neutral density filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA497	* Polarizing filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
	STAGE	
MA942	* Ceramic coated flat-top stage, 191mm X 126mm, 100mm X 100mm X-Y movement, with right hand drop-down coaxial controls and 94.5mm diameter clear glass stage plate. (Included in Model MT8000 and MT8100)	600.00
	* **CONDENSER**	
MA910/05	Substage condenser with iris diaphragm, dovetail mount (For MT8000 & MT8500)	135.00
	EYEPIECE MICROMETERS (25mm diameter for use with MA817 or MA859 eyepieces)	
MA523	Eyepiece micrometer, cross-line reticle, 25mm diameter	60.00
MA506	Eyepiece micrometer, 10mm line divided into 100 units, 25mm diameter	60.00
MA509	Eyepiece micrometer, 5mm line divided into 100 units, 25mm diameter	60.00
MA510	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 25mm diameter	60.00
MA542	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 25mm diameter	60.00
MA738	Eyepiece micrometer, for grain sizing in steel, 25mm diameter	100.00
	EYEPIECE MICROMETERS (19mm diameter for use with MA818 or MA819 eyepieces)	
MA279	Eyepiece micrometer, cross-line reticle, 19mm diameter	60.00
MA280	Eyepiece micrometer, 10mm line divided into 100 units, 19mm diameter	60.00
MA281	Eyepiece micrometer, 5mm line divided into 100 units, 19mm diameter	60.00
MA539	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 19mm diameter	60.00

COMPONENTS & ACCESSORIES FOR MT8000 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	STAGE MICROMETERS	
MA292	Metal stage micrometer, 1mm divided into 100 units, 0.01mm	200.00
	BULBS AND FUSES	
MA326	Spare bulb 6V 30W halogen lamp (Incident & Transmitted)	20.00
MA327	Spare Fuse 3A for transmitted light halogen illuminator	5.00
	POWER CORDS	
MA809/10	Removable AC Electric cord with plug for 115V Models (* Included in all 115V models)	20.00
MA809/20	Removable AC Electric cord with plug for 220V Models (* Included in all 220V models)	20.00
	MISCELLANEOUS	
MA711	* Dust cover for MT8000 and MT8100	20.00
MA906	* Eyeshield for MA817 SWH 10X eyepiece (each)	7.00

MT8500 SERIES
BRIGHTFIELD/DARKFIELD
METALLURGICAL MICROSCOPES

INFINITY CORRECTED OPTICAL SYSTEM F=200MM
FOR INCIDENT (REFLECTED) LIGHT BRIGHTFIELD / DARKFIELD
TRANSMITTED LIGHT BRIGHTFIELD AND SIMPLE POLARIZATION OBSERVATION

BRIGHTFIELD / DARKFIELD & SIMPLE POLARIZATON

MODEL	BODY	DIN OBJ.	DIN EYEP	STAGE	POWER SUPPLY	ILLUMINATOR	US$ PRICE
MT8520	Binocular (Siedentopf)	Plan Epi BD5X Plan Epi BD10X Plan Epi BD20X Plan Epi BD50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 12V 50W Halogen BF/DF and POL Transmitted Koehler 6V 30W Halogen	8,600.00
MT8530	Trinocular (Siedentopf)	Plan Epi BD5X Plan Epi BD10X Plan Epi BD20X Plan Epi BD50X	(2) SWH 10X F.N. 22 (O.D. 30mm)	Ceramic Coated Flat-top	Automatic Voltage Sensing Power Supply	Vertical Koehler 12V 50W halogen BF/DF and POL transmitted Koehler 6V 30W halogen	8,800.00

The Items marked with an asterisk (*) are included in the Model MT8520 & MT8530

COMPONENTS AND ACCESSORIES FOR MT8500 SERIES

CAT NO.	DESCRIPTION	US$ PRICE
	VIEWING HEAD	
MA815	Binocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT8520)	480.00
MA816	Trinocular head - Siedentopf type, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30.0 mm I.D. eyetube). Inclined at 30 degrees. (* Included in Model MT8530)	680.00
MA957	Ergonomic tilting binocular head - Adjustable vertically from 10 to 50 degrees.	780.00
MA979	Trinocular head - Siedentopf type, erect image with sliding 0/100 beamsplitter, inclined at 30 degrees, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube.	1,150.00
	PHOTO/VIDEO ATTACHMENT	
MA958	Photo / video attachment with sliding 80/20 beam-splitter. For use with video or digital cameras when MA957 ergonomic head is used.	500.00
	EYEPIECES (30.0 mm O.D. Eyetube)	
MA817	* SWH10X Widefield high eyepoint eyepiece, Field No. 22, tube O.D. 30.0 mm (each) (MA817 accepts optional 25mm diameter reticle)	150.00
MA818	SWH15X Widefield high eyepoint eyepiece, Field No. 16.0, tube O.D. 30.0 mm (each) (MA818 accepts optional 19mm diameter reticle)	150.00
MA819	SWH20X Widefield high eyepoint eyepiece, Field No. 12.0, tube O.D. 30.0 mm (each) (MA819 accepts optional 19mm diameter reticle)	150.00
MA859	SWH10X-F Focusing eyepiece with reticle mount (without reticle), tube O.D. 30.0 mm (each) (MA859 accepts optional 25mm diameter reticle)	270.00
MA906	* Eyeshield for MA817 SWH 10X eyepiece (each)	7.00

COMPONENTS & ACCESSORIES FOR MT8500 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	BRIGHTFIELD/DARKFILED PLAN EPI OBJECTIVES	
MA923	* Plan Epi Objective BD 5X, N.A. 0.10, W.D. 17.0 mm, F.N. 22	600.00
MA924	* Plan Epi Objective BD 10X, N.A. 0.25, W.D. 7.48 mm , F.N. 22	700.00
MA925	* Plan Epi Objective BD 20X, N.A. 0.40, W.D. 5.20 mm , F.N. 22	800.00
MA926	* Plan Epi Objective BD 50X, N.A. 0.75, W.D. 0.38 mm, F.N. 22	1,000.00
MA989	Plan Epi Objective BD100X, N.A. 0.90. W.D. 0.37 mm, F.N. 22 **(Optional)**	1,400.00
MA686/05	Adapter to mount RMS thread objective to BF/DF nosepiece	60.00
	ILLUMINATOR	
MA928	* Vertical Koehler illuminator, with infinity tube lens, focal length 200mm, 12V 50W halogen lamp with clear blue, clear green, ND 25, neutral density filter, and polarizing filters in metal mounts. 100V~240V. (Without transformer)	1,400.00
MA928/05	* Electronic transformer with automatic voltage sensing capability for MA928 in separate case (Input 100V~240V, Output 12V 50W)	260.00
	FILTERS	
MA275/25	* Blue clear filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
MA275/30	* Green clear filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
MA275/50	* N.D.50 neutral density filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
MA959	* Polarizing filter, 19.5mm diameter filter in metal mount, fits 30mm filter slot	80.00
	STAGE	
MA942	* Ceramic coated flat-top stage, 191mm X 126mm, 100mm X 100mm X-Y movement, with right hand drop-down coaxial controls and 94.5mm diameter clear glass stage plate. (Included in Model MT8520 and MT8530)	600.00
	*** CONDENSER**	
MA910/05	Substage condenser with iris diaphragm, dovetail mount (For MT8000 & MT8500)	135.00
	EYEPIECE MICROMETERS (25mm diameter for use with MA817 or MA859 eyepieces)	
MA523	Eyepiece micrometer, cross-line reticle, 25mm diameter	60.00
MA506	Eyepiece micrometer, 10mm line divided into 100 units, 25mm diameter	60.00
MA509	Eyepiece micrometer, 5mm line divided into 100 units, 25mm diameter	60.00
MA510	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 25mm diameter	60.00
MA542	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 25mm diameter	60.00
MA738	Eyepiece micrometer, for grain sizing in steel, 25mm diameter	100.00
	EYEPIECE MICROMETERS (19mm diameter for use with MA818 or MA819 eyepieces)	
MA279	Eyepiece micrometer, cross-line reticle, 19mm diameter	60.00
MA280	Eyepiece micrometer, 10mm line divided into 100 units, 19mm diameter	60.00
MA281	Eyepiece micrometer, 5mm line divided into 100 units, 19mm diameter	60.00
MA283	Eyepiece micrometer, 10mm square divided into 100 parts, each square 1.0 mm, 19mm diameter	60.00
MA539	Eyepiece micrometer, cross-line reticle with 0.1mm graduations, 19mm diameter	60.00
	STAGE MICROMETERS	
MA292	Metal stage micrometer, 1mm divided into 100 units, 0.01mm (For reflected light)	200.00

COMPONENTS & ACCESSORIES FOR MT8500 SERIES (CONTINUED)

CAT NO.	DESCRIPTION	US$ PRICE
	BULBS	
MA275/05	Spare bulb 12V 50W halogen lamp (Incident light)	50.00
MA326	Spare bulb 6V 30W halogen lamp (Transmitted light)	20.00
	POWER CORDS	
MA809/10	Removable AC Electric cord with plug for 115V Models (* Included in all 115V models)	20.00
MA809/20	Removable AC Electric cord with plug for 220V Models (* Included in all 220V models)	20.00
	MISCELLANEOUS	
MA327	Spare Fuse 3A for transmitted light halogen Illuminator	5.00
MA686/05	Adapter to mount RMS thread objective to MT7500/ MT8500 nosepiece	60.00
MA709	* Dust cover for MT8520 and MT8530	20.00

IM-7000 SERIES
INVERTED METALLURGICAL MICROSCOPES

INFINITY CORRECTED OPTICAL SYSTEM F=200MM

BRIGHTFIELD SYSTEMS - WITH QUINTUPLE NOSEPIECE

MODEL	BODY	OBJECTIVES	EYEPIECES	STAGE PLATE	ILLUMINATOR	US$ PRICE
IM-7100	Binocular (Siedentopf type)	Planachromat E5X Planachromat E10X Planachromat E20X Planachromat E50X	(2) SWH 10X eyepieces F.N. 22	180mm (X) 245mm (Y)	Koehler Vertical illuminator 6V, 30W halogen Automatic voltage sensing power supply	6,500.00
IM-7200	Trinocular (Siedentopf type)	Planachromat E5X Planachromat E10X Planachromat E20X Planachromat E50X	(2) SWH 10X eyepieces F.N. 22	180mm (X) 245mm (Y)	Koehler Vertical illuminator 6V, 30W halogen Automatic voltage sensing power supply	6,700.00

Note: The Items marked with an asterisk (*) are included in the Models IM7100 & IM7200

ACCESSORIES FOR IM7000 SERIES

CAT NO		DESCRIPTION	N.A.	F.L.	W.D.	US$ PRICE
		VIEWING HEAD				
MA814		Siedentopf type binocular head, inclined at 30°, I.P. adjustment 53mm to 75mm graduated diopter on left eyetube (30mm I.D. eyetubes) (Included with IM-7100) (* Included in Model IM-7100)				480.00
MA816/10		Siedentopf type trinocular head, inclined at 30°, I.P. adjustment 53mm to 75mm graduated diopter on left eyetube (30mm I.D. eyetubes) (Included with IM-7200) Includes 80/20 beamsplitter (100% to eyetubes or 80% to photo 20% to eyetube) Inverted image. (* Included in Model IM-7200)				680.00
MA1034		Trinocular Siedentopf head, erect image, inclined at 30°, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30mm I.D. eyetubes) Includes 0/100 beamsplitter (100% to eyetubes or 100% to phototube)				1,350.00
MA957/15		Ergonomic binocular head, erect image, inclination adjustable vertically from 10° to 50°				780.00
		EYEPIECES				
MA817	*	SWH 10X, widefield, high eyepoint eyepiece (each) Field No. 22 (MA817 accepts 25mm diameter reticle)				150.00
MA818		SWH 15X, widefield, high eyepoint eyepiece (each) Field No. 16 (MA818 accepts 19mm diameter reticle)				150.00
MA819		SWH 20X, widefield, high eyepoint eyepiece (each) Field No. 12 (MA819 accepts 19mm diameter reticle)				150.00
MA859		SWF 10X-F, focusing widefield, high eyepoint eyepiece (each) Field No. 22 (MA859 accepts 25mm diameter reticle)				270.00
		BRIGHTFIELD OBJECTIVES	**N.A.**	**F.L.**	**W.D.**	
MA870	*	Planachromat E5X ∞ objective	0.10	40.0	20.00	350.00
MA871	*	Planachromat E10X ∞ objective	0.25	20.0	7.48	450.00
MA872	*	Planachromat E20X ∞ objective	0.40	10.0	5.20	550.00
MA873	*	Planachromat E50X ∞ objective	0.75	4.0	0.38	650.00
MA874		Planachromat E100X ∞ objective	0.90	2.0	0.34	1,150.00

ACCESSORIES FOR IM-7000 SERIES (CONTINUED)

CAT NO.		DESCRIPTION	US$ PRICE
		FILTERS	
MA475/05	*	LB100 Blue clear 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA476	*	G533 Green clear 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA774	*	ND50 Neutral density filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
MA497	*	Polarizing Filter, 19.5mm diameter filter in metal mount, fits 25mm filter slot	80.00
		STAGES (FIXED 245mm X 180mm STAGE IS INCLUDED WITH STAND)	
		(With circular insert - 109mm diameter black anodized ring with 63.8mm silver keyhole insert)	
MA875		Attachable mechanical stage, 112mm (X) X 71mm (Y) movement, with drop down right hand coaxial controls (Optional) (Requires MA876 stage insert)	650.00
MA876		Metal stage plate insert for MA875 attachable mechanical stage for IM7000 Series (Circular Insert - 74.94 mm diameter black anodized ring with 63.8mm silver keyhole insert)	30.00
		MISCELLANEOUS	
MA809/10	*	Removable AC Electric cord with plug for 115V models (Included in all 115V models)	20.00
MA809/20		Removable AC Electric cord with plug for 220V models (Included in all 220V models)	20.00
MA326	*	Spare halogen bulb, 6V 30W	20.00
MA327	*	Fuse 3A	5.00
MA714	*	Dust cover	20.00
MA738		Eyepiece micrometer, for grain sizing in steel, 25mm diameter	100.00
		CAMERA ADAPTERS FOR "C" MOUNT TYPE CAMERAS	
MA877		"C" mount type camera adapter for CCD/CMOS camera **(No internal lens)** **(Magnification factor of 0.66X from IM7000 Series front camera port)**	60.00
		CAMERA ADAPTERS FOR DIGITAL STILL CAMERAS	
MA868		Digital camera adapter for non "C" mount type cameras (52mm O.D. thread) For IM Series front camera port only: **(Requires additional DC adapter ring for your specific model of camera which are listed below by make and model)**	250.00
		DCA-J19: For Casio QV5700, QV4000, QV3500EX	80.00
		DCA-AD52A60: For Canon Powershot, A60, A70, A75, A85	80.00
		DCA-J53: For Canon Powershot, A80, A95	80.00
		DCA-A52B510C: For Canon Powershot, A510, A520, A540, A550	80.00
		DCA-A52B570C: For Canon Powershot, A570,A590,is	80.00
		DCA-A52B610C: For Canon Powershot, A610, A620, A630, A640	80.00
		DCA-A52B650C: For Canon Powershot, A650is	80.00
		DCA-A52B700C: For Canon Powershot, A700, A710is, 720is	80.00
		DCA-AD52S1: For Canon Powershot, S1-is	80.00
		DCA-AUB58S2: For Canon Powershot, S2-is, S3-is, S5-is	80.00
		DCA-RT5246G1: For Canon Powershot, G1, G2	80.00
		DCA-AUB3552: For Canon Powershot, G3, G5	80.00
		DCA-AUB652: For Canon Powershot, G6	80.00
		DCA-A52G7C: For Canon Powershot, G7, G9 (Use MD-M5B, 58mm ring with MA868)	80.00
		DCA-A52G10C: For Canon Powershot, G10, G11, G12 (Use MD-585B, 58mm ring with MA868)	80.00

ACCESSORIES FOR IM7000 (CONTINUED)

CAT NO	DESCRIPTION	US$ PRICE
	CAMERA ADAPTERS FOR DIGITAL STILL CAMERAS	
MA868	Digital camera adapter for non "C" mount type cameras (52mm O.D. thread) For TC Series front camera port only: (Requires additional DCA adapter ring for your specific model of camera which are listed below by make and model)	250.00
	DCA ADAPTER RINGS (Continued)	
	DCA-J13: For Epson Photo PC, 3000Z, 3100Z	80.00
	DCA-B4: For Fuji Fine Pix, S602, 4900Z, 6900Z, S3000, S5000, S5200, S5600, S7000	80.00
	DCA-A52F550: For Fuji Fine Pix E550, E900	80.00
	DCA-J37: For Fuji Fine Pix, S-5000	80.00
	DCA-AD5552FBLK: For HP Photo Smart, 850, 945	80.00
	DCA-A6490K: For Kodak, DX6490, DX7590, Z7590	80.00
	DCA-A7440K: For Kodak, DX7440, Z730	80.00
	DCA-A52850K: For Kodak, P850, P712	80.00
	DCA-AZ612K: For Kodak, Z612,Z712,Z812, Z1012	80.00
	DCA-A52880K: For Kodak, P880	80.00
	DCA-A52710K; For Kodak Z650, Z710, Z740, ZD710	80.00
	DCA-AV4552M: For Minolta Konica, Z1, Z2 (J47)	80.00
	DCA-J29: For Minolta Konica, Z3, Z5, Z6	80.00
	DCA-B6: For Nikon Coolpix, 5000	80.00
	DCA-AU5400N: For Nikon Coolpix, 5400	80.00
	DCA-B7: For Nikon Coolpix, 5700, 8700	80.00
	DCA-AU8487N: For Nikon Coolpix, 8400	80.00
	DCA-AR203: For Nikon Coolpix P80	80.00
	DCA-A4652N6: For Nikon Coolpix P6000	80.00
	DCA-J43: For Olympus Camedia, C-8080	80.00
	DCA-P06366: For Olympus Camedia, C-5000, SP-310, SP-350	80.00
	DCA-B1: For Olympus Camedia, C-3000, C-3030, C-3040, C-4040, C-3100, C-4100, C-5050	80.00
	DCA-B5: For Olympus Camedia C-700, C-720, C-730, C-740, C-750, C-755, C-760, C-765 C-770, SP-500U	80.00
	DCA-J41 or DCA AFZ20P: For Panasonic DMC-FZ10, FZ15, FZ20	80.00
	DCA-AFZ7P: For Panasonic, DMC-FZ5, DMC-FZ7, DMC-FZ8	80.00
	DCA-AFZ18P: For Panasonic, DMC-FZ18, DMC-FZ28 (Use MD-M5B 58mm adapter ring)	80.00
	DCA-A4552PA3: For Panasonic DMC-LX3	80.00
	DCA-B2: For Sony, S70, S75, S85, CD300, CD400, CD500	80.00
	DCA-P06366: For Sony, DSC-W1, DSC-W5, DSC-W7	80.00
	DCA-RT5245VT: For Sony Cyber Shot DSC-V1	80.00
	DCA-RT5248V3: for Sony Cyber Shot DSC-V3	80.00

NOTE: As new digital cameras come into the market almost daily, Meiji Techno is unable to effectively test every adapter with every camera model so image compositional results can vary which can range from increased magnification to "vignetting". As a result , there is no implied warranty regarding performance other than parfocality.

ACCESSORIES FOR IM7000 (CONTINUED)

CAMERA ADAPTERS FOR 35MM TYPE CAMERAS

	CAMERA ADAPTERS FOR 35mm TYPE CAMERAS	
MA869	35mm SLR camera attachment Magnification at film plane is 2.23X of objective in use	250.00
	(Requires T-2 adapter ring listed below)	
T2-1	Adapter ring for Canon	55.00
T2-2	Adapter ring for Minolta	55.00
T2-3	Adapter ring for Pentax K	55.00
T2-4	Adapter ring for Pentax S. threaded	55.00
T2-5	Adapter ring for Nikon	55.00
T2-6	Adapter ring for Olympus (May require additional MF-1 OM adapter from Olympus)	55.00
T2-7	Adapter ring for Contax, Yashika	55.00
T2-8	Adapter ring for Konica	55.00
T2-9	Adapter ring for Canon EOS, auto focus	55.00
T2-10	Adapter ring for Minolta Alpha camera, Maxim 2000	55.00

IM-7500 SERIES
INVERTED BRIGHTFIELD/DARKFIELD METALLURGICAL RESEARCH MICROSCOPES

INFINITY CORRECTED OPTICAL SYSTEM F=200MM

INVERTED BRIGHTFIELD/DARKFIELD SYSTEMS - WITH QUINTUPLE NOSEPIECE

MODEL	BODY	OBJECTIVES	EYEPIECES	STAGE PLATE	ILLUMINATOR	US$ PRICE
IM-7520	Ergonomic Erect image Bino Head Adjustable 10° to 50°	Plan Semi Apo Epi BD 5X Epi BD 10X Epi BD 20X Epi BD LWD50X Quintuple N.P.	(1) SWH 10X eyepiece, F.N. 22 (1) SWH10XFC focusing eyepiece with cross-line	**Dimensions:** 240mm (X) 184mm (Y) **Movement:** 50mm (X) x 40mm (Y) With drop-down adjustable controls	Incident Koehler illuminator, 12V/50W Halogen Automatic voltage sensing power supply	12,360.00
IM-7530	Trinocular Erect image (Siedentopf type)	Plan Semi Apo Epi BD 5X Epi BD 10X Epi BD 20X Epi BD LWD50X Quintuple N.P.	(1) SWH 10X eyepiece, F.N. 22 (1) SWH10XFC focusing eyepiece with cross-line	**Dimensions:** 240mm (X) 184mm (Y) **Movement:** 50mm (X) x 40mm (Y) With drop-down adjustable controls	Incident Koehler illuminator, 12V/50W Halogen Automatic voltage sensing power supply	12,950.00

Note: The Items marked with an asterisk (*) are included in the Models IM7510

ACCESSORIES FOR IM-7500 SERIES

CAT NO		DESCRIPTION	US$ PRICE
		VIEWING HEADS	
MA814		Siedentopf type binocular head, inclined at 30°, I.P. adjustment 53mm to 75mm graduated diopter on left eyetube (30mm I.D. eyetubes) (* Included in Model IM-7520)	480.00
MA816/10		Siedentopf type trinocular head, inclined at 30°, I.P. adjustment 53mm to 75mm graduated diopter on left eyetube (30mm I.D. eyetubes) (Included with IM-7530) Includes 80/20 beamsplitter (100% to eyetubes or 80% to photo 20% to eyetube) Inverted image. (* Included in Model IM-7530)	680.00
MA1030		Ergonomic binocular Siedentopf head, erect image, inclination adjustable vertically from 10° to 50°, I.P. adjustment 53mm to 75mm, graduated diopter on left eyetube (30mm I.D. eyetubes) (Optional viewing head)	1,170.00
MA1031		Trinocular Siedentopf head, erect image, inclined at 30°, I.P. adjustment 53mm to 75mm graduated diopter on left eyetube (30mm I.D. eyetubes) (Optional viewing head) Includes 0/100 beamsplitter (100% to eyetubes or 100% to phototube)	1,350.00
		EYEPIECES	
MA817	*	SWH 10X, widefield, high eyepoint eyepiece (each) Field No. 22 (MA817 accepts 25mm diameter reticle) (30mm I.D. eyetubes)	150.00
MA818		SWH 15X, widefield, high eyepoint eyepiece (each) Field No. 16 (MA818 accepts 19mm diameter reticle) (30mm I.D. eyetubes)	150.00
MA819		SWH 20X, widefield, high eyepoint eyepiece (each) Field No. 12 (MA819 accepts 19mm diameter reticle) (30mm I.D. eyetubes)	150.00
MA859		SWF 10X-F, focusing widefield, high eyepoint eyepiece (each) Field No. 22 (MA859 accepts 25mm diameter reticle) (30mm I.D. eyetubes)	270.00

ACCESSORIES FOR IM-7500 SERIES (CONTINUED)

CAT NO.		DESCRIPTION	N.A.	F.L.	W.D.	US$ PRICE
		BRIGHTFIELD/DARKFIELD OBJECTIVES				
MA923	*	Plan Semi Apo Epi BD 5X ∞ objective	0.10	40.0	17.00	600.00
MA924	*	Plan Semi Apo Epi BD 10X ∞ objective	0.25	20.0	7.48	700.00
MA925	*	Plan Semi Apo Epi BD 20X ∞ objective	0.40	10.0	5.20	800.00
MA995	*	Plan Semi Apo Epi BD 50X LWD ∞ objective	0.50	4.0	5.00	1,200.00
MA989		Plan Semi Apo Epi BD 100X ∞ objective	0.90	2.0	0.50	1,400.00
		ADAPTER RING				
MA686/05		Adapter ring to mount RMS thread objectives to BF/DF nosepiece				60.00
		ILLUMINATOR				
MA1011	*	Vertical Koehler Illuminator, including filters and polarizer in sliding mount. (Without lamp house.)				1,450.00
MALH50	*	Lamp House for use with 12V / 50W Halogen Lamp. (Included in 50W models)				980.00
MALH100	*	Lamp House for use with 12V / 100W Halogen Lamp. (Included in 100W models)				1,170.00
		FILTERS				
MA275/25	*	LB100 Blue Clear 19.5mm filter in metal mount, fits 30mm filter slot.				80.00
MA275/30	*	G533 Green Clear 19.5mm filter in metal mount, fits 30mm filter slot.				80.00
MA275/50	*	ND50, 19.5mm Neutral Density filter in metal mount, fits 30mm filter slot.				80.00
MA959	*	Polarizing filter, 19.5mm diameter in metal mount, fits 30mm filter slot.				80.00
		X-Y MECHANICAL STAGE IS INCLUDED WITH STAND (NOT SOLD SEPARATELY) Dimension of top plate: 240mm (X) x 184mm (Y) with 50mm (X) X 40mm (Y) movement and drop down coaxial X-Y controls.				
MA1016	*	Round 110mm diameter, 2mm thick metal stage plate insert with 22mm opening for specimen				70.00
MA593	*	Stage Clips, 4mm pin diameter, 75mm long (Paired)				20.00
		POWER CORDS				
MA809/10	*	Removable AC Electric cord with plug for 115V models (Included in all 115V models)				20.00
MA809/20	*	Removable AC Electric cord with plug for 220V models (Included in all 220V models)				20.00
		BULBS AND FUSES				
MA275/05	*	Halogen bulb, 12V / 50W (Included in 50W models)				50.00
MA1015	*	Halogen bulb, 12V / 100W (Included in 100W models)				75.00
MA327	*	Fuse 3A (Included in 50W models)				5.00
MA327/05	*	Fuse 5A (Included in 100W models)				5.00
MA1014	*	Dust cover				20.00
		EYEPIECE MICROMETERS				
MA523		Cross-line reticle, 25mm diameter				60.00
MA506		10mm line divided into 100 units, 25mm diameter				60.00
MA509		5mm line divided into 100 units, 25mm diameter				60.00
MA524		10mm square divided into 400 parts, 0.5mm squares, 25mm diameter				60.00
MA510		10mm square divides into 100 parts, 1.0mm squares, 25mm diameter				60.00
MA542		Cross-line with 0.1mm graduations, 25mm diameter				60.00
MA738		Grain sizing reticle for steel, 25mm diameter				100.00
		STAGE MICROMETERS				
MA285		1mm line divided into 100 units, each division 0.01mm				100.00
MA286		0.04" divided into 40 units, each division 0.001"				100.00

ACCESSORIES FOR IM-7500 (CONTINUED)

CAT NO	DESCRIPTION	US$ PRICE
	CAMERA ADAPTERS FOR "C" MOUNT TYPE CAMERAS	
MA877	"C" mount type camera adapter for CCD/CMOS camera **(No internal lens) (Magnification factor of 0.66X from IM7500 Series front camera port)**	60.00
	CAMERA ADAPTERS FOR DIGITAL STILL CAMERAS	
MA868	Digital camera adapter for non "C" mount type cameras (52mm O.D. thread) For IM Series front camera port only: **(Requires additional DC adapter ring for your specific model of camera which are listed below by make and model)**	250.00
	DCA-J19: For Casio QV5700, QV4000, QV3500EX	80.00
	DCA-AD52A60: For Canon Powershot, A60, A70, A75, A85	80.00
	DCA-J53: For Canon Powershot, A80, A95	80.00
	DCA-A52B510C: For Canon Powershot, A510, A520, A540, A550	80.00
	DCA-A52B570C: For Canon powershot, A570, A590is	80.00
	DCA-A52B610C: For Canon Powershot, A610, A620, A630, A640	80.00
	DCA-A52B650C: For Canon Powershot, A650 is	80.00
	DCA-A52B700C: For Canon Powershot, A700, A710is, 720is	80.00
	DCA-AD52S1: For Canon Powershot, S1-IS	80.00
	DCA-A52B700C: For Canon Powershot, A700, A710is, 720is	80.00
	DCA-AD52S1: For Canon Powershot, S1-IS	80.00
	DCA-AUB58S2: For Canon Powershot, S2-IS, S3-IS, S5-IS	80.00
	DCA-RT5246G1: For Canon Powershot, G1, G2	80.00
	DCA-AUB3552: For Canon Powershot, G3, G5	80.00
	DCA-AUB652: For Canon Powershot, G6	80.00
	DCA-A52G7C: For Canon Powershot, G7, G9 (Use MD-M5B, 58mm ring with MA868)	80.00
	DCA-A5210C: For Canon Powershot, G10, G11, G12 (Use MD-M5B, 58mm ring with MA868)	80.00
	DCA-J13: For Epson Photo PC, 3000Z, 3100Z	80.00
	DCA-B4: For Fuji Fine Pix, S602, 4900Z, 6900Z, S3000, S5000, S5200, S5600, S7000	80.00
	DCA-A52F550: For Fuji Fine Pix E550, E900	80.00
	DCA-J37: For Fuji Fine Pix, S-5000	80.00
	DCA-AD5552FBLK: For HP Photo Smart, 850, 945	80.00
	DCA-A6490K: For Kodak, DX6490, DX7590, Z7590	80.00
	DCA-A7440K: For Kodak, DX7440, Z730	80.00
	DCA-A52850K: For Kodak, P850, P712	80.00
	DCA-AZ612K: For Kodak, Z612,Z712,Z812, Z1012	80.00
	DCA-A52880K: For Kodak, P880	80.00
	DCA-A52710K; For Kodak Z650, Z710, Z740, ZD710	80.00
	DCA-AV4552M: For Minolta Konica, Z1, Z2 (J47)	80.00
	DCA-J29: For Minolta Konica, Z3, Z5, Z6	80.00

ACCESSORIES FOR IM7500 (CONTINUED)

	DCA-B6: For Nikon Coolpix, 5000	80.00
	DCA-AU5400N: For Nikon Coolpix, 5400	80.00
	DCA-B7: For Nikon Coolpix, 5700, 8700	80.00
	DCA-AU8487N: For Nikon Coolpix, 8400	80.00
	DCA-AR203: For Nikon Coolpix P80	80.00
	DCA-A4652N6: For Nikon Coolpix P6000	80.00
	DCA-J43: For Olympus Camedia, C-8080	80.00
	DCA-PO6366: For Olympus Camedia, C-5000, SP-310, SP-350	80.00
	DCA-B1: For Olympus Camedia, C-3000, C-3030, C-3040, C-4040, C-3100, C-4100, C-5050	80.00
	DCA-B5: For Olympus Camedia C-700, C-720, C-730, C-740, C-750, C-755, C-760, C-765 C-770, SP-500U	80.00
	DCA-J41 or DCA AFZ20P: For Panasonic DMC-FZ10, FZ15, FZ20	80.00
	DCA-AFZ7P: For Panasonic, DMC-FZ5, DMC-FZ7, DMC-FZ8	80.00
	DCA-AFZ18P: For Panasonic, DMC-FZ18, DMC-FZ28 (Use MD-M5B adapter ring)	80.00
	DCA-A4552PA3: For Panasonic DMC-LX3	80.00
	DCA-B2: For Sony, S70, S75, S85, CD300, CD400, CD500	80.00
	DCA-PO6366: For Sony, DSC-W1, DSC-W5, DSC-W7	80.00
	DCA-RT5245VT: For Sony Cyber Shot DSC-V1	80.00
	DCA-RT5248V3: for Sony Cyber Shot DSC-V3	80.00

NOTE: As new digital cameras come into the market almost daily, Meiji Techno is unable to effectively test every adapter with every camera model so image compositional results can vary which can range from increased magnification to "vignetting". As a result , there is no implied warranty regarding performance other than parfocality.

CAMERA ADAPTERS FOR 35mm TYPE CAMERAS

MA869	35mm SLR camera attachment Magnification at film plane is 2.23X of objective in use	250.00
	(Requires T-2 adapter ring listed below)	
T2-1	Adapter ring for Canon	55.00
T2-2	Adapter ring for Minolta	55.00
T2-3	Adapter ring for Pentax K	55.00
T2-4	Adapter ring for Pentax S. threaded	55.00
T2-5	Adapter ring for Nikon	55.00
T2-6	Adapter ring for Olympus (May require additional MF-1 OM adapter from Olympus)	55.00
T2-7	Adapter ring for Contax, Yashika	55.00
T2-8	Adapter ring for Konica	55.00
T2-9	Adapter ring for Canon EOS, auto focus	55.00
T2-10	Adapter ring for Minolta Alpha camera, Maxim 2000	55.00